

ANTENNA OMNI 725 – 815 MHZ



Antenna OMNI

It is designed with 360° radiation pattern and horizontal polarization

Frequency range of 725 – 815 MHz

Beam (H): 360°; Beam (V): 15°


Gain: 7 dB

DME antenna (DME – distance measuring equipment) is applied for radio navigation that determines the distance from a ground station to an aircraft.

The antenna is designed to receive and transmit signals in the frequency range from 725 MHz to 815 MHz.

Key features:

- Omnidirectional: 360-degree radiation pattern
- Frequency range of 725 – 815 MHz
- Low pattern ripple: up to 0.5 dB
- Gain: 7 dBi
- Low windage characteristics



| Parameter | Value |
|---|-------------------|
| Frequency range, MHz | 725 – 815 |
| Gain, dB | 7 |
| VSWR | 1.8 |
| Polarization | Horizontal |
| Radiation patter: Horizontal plane Vertical plane | 360° 15° |
| Orientation of radiation pattern in vertical plane | along the horizon |
| Connector | N-type |
| Operating temperature range, °C | -10...+50 |
| Storage temperature range, °C | -40...+70 |
| Humidity | 100% 20°C |
| Dimensions (hight/diameter), mm | 1505/168 |

| | |
|-----------------|---|
| Weight, kg, max | * |
|-----------------|---|

Taking into consideration that we (UMT LLC) are developer and system integrator, also do not stop on our technical growth and improvement, know that view of all our devices and equipment including their technical parameters may be different from pictures presented on website and parameters

listed on each device webpage.

Note! *All details customer has to confirm in advance during ordering and before payment. Those parameters that were not specified and / or were not agreed while ordering will be implemented as basic at the discretion of the manufacturer. Each our customer has 1.5 year warranty and 7 year aftersales support for whole range of our products.*